
The Data Quality Monitoring System and Experiences

CMS Hamburg / DESY Meeting

Markus Marienfeld





Data acquisition (DAQ) at CMS




(1) Collision rate: 40 MHz

(2) Level-1-Trigger (L1T): 100 KHz

(3) High-Level-Trigger (HLT): 100 Hz



- Worldwide data processing:
 - Tier-0 & CAF at CERN
 - Tier-1 (7 computing centres)
 - Tier-2 (ca. 40 analysis centres)




The DQM workflow

Online: Real time detector control.

Offline: Monitoring and certification of reconstruction and calibration.

Playback: Environment for testing and software integration.



DQM Shifts Overview

Online Shifts at P5 (3/day for 24 hours coverage)

On the first day of global running, shifts start at 9:00h.


Offline Shifts (CRAFT09: 2/day)

Run at Meyrin CC with a delay of ~24 hours.

- Remote Shifts (3/day for 24 hours coverage)
 - Run at FNAL and DESY ROC's in parallel with P5 shifts.


Online DQM


- Event data is processed in parallel by independent DQM applications.
- Creation of ROOT histograms in real time with an own type (→ "monitor elements").
- Visualization by one centralized, web-based Graphical User Interface (GUI).




The Graphical User Interface (GUI)

- Summary page: Compact overview about subsystems status.
- Monitoring of live histograms as well as archived runs.
- Shift histograms: DQM shift person watches a selected subset of a great number of histograms per subsystem.








IGUANA DOM GUI @ srv-C2D05-19; Jul 1, 2009 at 15:45.18 UTC; session is modifiable


Data reconstruction at Tier-0 & Offline DQM

- Monitoring of reconstructed physic objects: muons, photons, jets...
- Anew evaluation of detector components with full event statistics.
- Collecting and summation of histograms from event data into one single run (→ "harvesting").




Data certification & sign-off

- Determination of detector and reconstruction quality (online & offline) by DQM shift person and automatic certification (quality tests by algorithms).
- The certification result is send to sign-off and stored in the Run Registry.
- Final storage of the quality flags in DBS → availability for data analysis.



The Run Registry page

- DQM shift person registers significant runs to the Run Registry.
- Adding quality flags marking runs as GOOD or BAD for online and offline.
- Summarizing detector subsystem conditions (DPG) and quality of reconstruction step (POG).



Physics DQM (PAG): Top quark

- Tentative plans for prompt data validation:
 - Online DQM: Monitoring and checks of lepton trigger efficiencies from dileptonic events (tag & probe approach) at HLT level.
 - Offline DQM: Monitoring of dilepton reconstruction and efficiencies, simple physics feedback, e.g. dilepton mass spectrum.

im ple mentation

(M. Marienfeld, D. Dammann)


Need O(0.1 pb⁻¹) for visible J/ψ peak (900 GeV or 10 TeV) or Z peak (10 TeV).



1. Prompt Data Validation for Dimuon Events

Source code from top analysis PAT-based dimuon analyzer translated to and built into RECO-based offline DQM sequence.

> Runs on MC data as well as on CRAFT data.



- First version of <u>TopDiLeptonDQM</u> ready and submitted.
- Test implementation of monitoring at HLT level.

10

Summary

- Real time detector control during data taking.
- Fully web-based technology from online data taking to certification within one framework!
- Ca. 300 million cosmic events successfully taken during cosmic runs in 2008 and presently running CRUZET/CRAFT09.
- Items not covered: Release Validation, MC Validation, DQM at Tier-1's and CAF.

