


LUXE Background Study in Simulation

Oleksandr Borysov



LUXE Meeting
June 18, 2019

LUXE geometry in Geant4



- Check background in OPPP detectors: trackers and calorimeters;
- Optimize detectors position, shielding, beam pipes and windows;
- Establish a benchmark in a simple geometry for comparison with more detailed implementation.




Sketch and Geant4



Beam Dump with Hole for Photons




Fraction of photons inside the circle as a function of its radius for different distances from the target




Front view of the beam dump through the beam pipe




Tracking Planes



No Target, 1.4 T



Performance with test settings






50k e-


Simulated 50k events recording any track that enters detectors volume
1 was registered;

```
*****
*      Row      *      pdg      *      E      *      vtxx      *      vtxy      *      vtxz      *      px      *      py      *      pz      *
*****
*      0      *      -11      *      1.1105072      *      0.6417944      *      -1.773730      *      -3752.636      *      0.4198077      *      0.0007512      *      1.0286506      *
*****
```

Bremsstrahlung photons 22.5 m from the collimator (beam dump)



Test with 17.5 GeV e- and 6 T




```
root [2] oppphits->Scan("*")
*****
*      Row      * Instance *      eventid *      detid *      layerid *      cellx *      celly *      edep *      hitid * track lis *
*****
*      0 *      0 *      0 *      1 *      2 *      830 *      1003 * 0.0001291 *      2 *      1 *
*      1 *      0 *      0 *      1 *      1 *      1301 *      1003 * 9.361e-05 *      1 *      1 *
*      2 *      0 *      0 *      1 *      0 *      1771 *      1003 * 0.0001062 *      0 *      1 *
*****
```


Track in detector volume

2.91M e-


All tracks entering detector container volume



e⁺e⁻ tracks entering detector container volume




Hits in tracking planes




Vertexes of e-, e+ without magnet

hhvtxz




hhvtxz	
Entries	192
Mean	-1765
Std Dev	2693

hhE





hhE	
Entries	191
Mean	2.359
Std Dev	2.025


Cleaning beam after the dump





e-, 17.5 GeV





Z distribution of charged vertexes



13.54 M e^-



X vs Z Distribution of all and charged





Summary and Plans

- Proceed with Geant4 simulation for background estimation.
- Compare results for different geometries.
- Comparison results with Fluka simulations made by Gianluca.
- Tune geometrical parameters of the setup in accordance with real technical requirements.

Backup

Tungsten Target, 1.4 T, ~ 30 e-



Sketches of Bremsstrahlung Area

