

The new Duo

- core
 - status report
 - interface security
 - interface fileupload
- flow
 - task frm2
 - render frm2
 - configuration frm2

Core: Status Report

- Configuration existing
- Error existing
- Logging existing
- Database prototype existing
- Dataprovider existing
- Mailing work is in progress
- Fileupload to be done
- Security existing

Interface Security

Implemented:

```
getRequest(array $dataDescription, string method = 'post')  
return array($value,$error)
```

```
getValue(string $valueName, array $rules, string $methode = 'post')  
return array
```

to discuss:

```
saltLabel(string label)  
return string
```

Interface Fileupload

The requirements are defined.

The interface has to be specified.




This meeting?

Flow: Suggestion

How to realise the workflow at FRM II?

To take joint action for the workflow would be nice
- but it isn't a must!


Three Parts of Interface for Task




Examples for Use Cases

- Open a list
- Change a list entry

Example: Open a List



Example: Change a List Entry



Rendering per smarty and widgets

Render Object

The screenshot shows a web application interface. At the top, there is a header with the logo of Forschungsneutronenquelle Heinz Maier-Leibnitz (FRM II) and the TUM logo. On the left, a sidebar menu is visible with the following items:

- Home
- Todo List
- Logout
- Informations
- List Countries
- Development
 - Help editor
 - Edit menu
 - Unitest

A line labeled "Render Object" points to the top-left area of the sidebar.

In the center, there is a search form with the placeholder "Search:" and checkboxes for "Country" and "ISO". Below the search form, there is a table of country data:

Country	ISO
Afghanistan	AF
Åland Islands	AX
Albania	AL
Algeria	DZ
American Samoa	AS
Andorra	AD
Angola	AO
Anguilla	AI
Antarctica	AQ
Antigua and Barbuda	AG
Argentina	AR
Armenia	AM
Aruba	AW
Australia	AU
Austria	AT

Below the table, there is a page navigation bar with links 1, 2, 3, 4, 5, ..., >, >>. A line labeled "Widgets" points to the search form and the table.

At the bottom, another page navigation bar is shown with links 1, 2, 3, 4, 5, ..., >, >>.

Configuration

Config functionality for the example of the request:

index.php?action=listCountries

Menu Configuration

```
<listCountries>
  <type>default</type>
  <label>List Countries</label>
  <submenu>information</submenu>
  <text>List all countries</text>
  <role>duo_user</role>
  <action>
    <controller>controllerCountries</controller>
    <useCase>list</useCase>
  </action>
</listCountries>
```

Task Configuration: useCase

```
<useCase>
  <list>
    <task>taskList</task>
    <dataProvider>dataDatabase</dataProvider>
    <headline>List Countries</headline>
    <out>pageList</out>
  </list>
</useCase>
```

List Countries

Search:

over: Country ISO

[1](#) [2](#) [3](#) [4](#) [5](#) ... [>](#) [>>](#)

Country	ISO
Afghanistan	AF
Åland Islands	AX
Albania	AL
Algeria	DZ
American Samoa	AS
Andorra	AD
Angola	AO
Anguilla	AI
Antarctica	AQ
Antigua and Barbuda	AG
Argentina	AR
Armenia	AM
Aruba	AW
Australia	AU
Austria	AT

[1](#) [2](#) [3](#) [4](#) [5](#) ... [>](#) [>>](#)

Task Configuration: Render Information

```
<dataDescr>
  <name>
    <type>text</type>
    <label>Country</label>
    <searchable/>
    <useCase>
      <list/>
    </useCase>
  </name>
  <iso>
    <type>text</type>
    <label>ISO</label>
    <searchable/>
    <useCase>
      <list/>
    </useCase>
  </iso>
</dataDescr>
```

List Countries

Search:

over: Country ISO

[1](#) [2](#) [3](#) [4](#) [5](#) ... [>](#) [>>](#)

Country	ISO
Afghanistan	AF
Åland Islands	AX
Albania	AL
Algeria	DZ
American Samoa	AS
Andorra	AD
Angola	AO
Anguilla	AI
Antarctica	AQ
Antigua and Barbuda	AG
Argentina	AR
Armenia	AM
Aruba	AW
Australia	AU
Austria	AT

[1](#) [2](#) [3](#) [4](#) [5](#) ... [>](#) [>>](#)