

Electronic/DOOCS for GEN (Status and open Q)

Hal Hollis & Jan H. Pöld





ALPS collaboration meeting

8. June 2020

NL control strategy



- TCP/IP ethernet link
- Myrinet fiber link
- Analog copper link
- Safety device



NL control strategy





<https://confluence.desy.de/pages/viewpage.action?pageId=137991444>

Rack Tunnel1




Rack Height =42 HE

UH (HE)	device	power
2	Network	
1	cables	
2	DAQ computer	750W
1	cables	
12	Micro TCA	1000W
1	cables	
2	Patch Panel BNC	
1	cables	
3	Beckhoff	450W
1	cables	
3	div	
2	UPS	



Optional space for DAQ and slow control components:
 - AA and AI filters
 - ADC and DAC cards
 - ...

Signal conditioning filter - UF general purpose



Status




- grey room rack electronics have been fabricated
- cables have not been ordered yet
- FSS has not been tested (tests in ALPS IIa anticipated, but not yet conducted due to COVID related delays)
- uTCA components have been purchased and some of the Beckhof boxes have been built (<https://confluence.desy.de/pages/viewpage.action?pageId=137184599>)
- general purpose signal conditioning unit has been designed by Hal, GEN unit were not ordered yet

Open Q's



- Are we allowed to install GEN electronics as built?
- Actuator electronics?
- Adopt new schedule for component readiness
- Integrated testing required?

GEN table layout (06/2020)-preliminary



Status GEN



- working on GEN FDD update
- another change request for the laser table upcoming (please sent your comments in time)
- change request for electrical installations in NL