



Contribution ID: 805

Type: Poster

Tracking with ACTS for a Muon Collider detector

Charged particle trajectory reconstruction at a Muon Collider detector is more similar to the hadron collider environment than an electron collider. The presence of the beam-induced background leaves a large hit multiplicity in the tracking detector that complicates the pattern recognition stage of track reconstruction. The BIB hits increase the possible hit combinations that need to be filtered to create valid track candidates. This is analogous to the problem from pile-up hits in an hadron collider detector. The A Common Tracking Software (ACTS) is a library that implements the tracking algorithms developed by the collider tracking community, with a particular focus on hadronic environments. In addition to clever algorithms, it further tackles the tracking performance issue by heavily optimizing the code and exploring novel computing architectures. Due to the experiment-independent design, ACTS allows other experiments to leverage their complex tracking algorithms in different settings. This contribution will explore the usage of ACTS to perform the track reconstruction for simulated muon collider events with full beam-induced background.

First author

Karol Krizka

Email

kkrizka@lbl.gov

Collaboration / Activity

Muon Collider Detector&Physics

Primary authors: KRIZKA, Karol (Lawrence Berkeley National Laboratory); PAGAN GRISO, Simone (Lawrence Berkeley National Lab. (US)); WU, Richard (University of California, Berkeley)

Presenter: KRIZKA, Karol (Lawrence Berkeley National Laboratory)

Session Classification: T12: Detector R&D and Data Handling

Track Classification: Detector R&D and Data Handling