

• Started Analysis of MadGraph sample (stored at dCache, used root)

- Started Analysis of MadGraph sample (stored at dCache, used root)
- Generation of 100k  $t\bar{t} + X$  jets (X = 0, 1, 2, 3) in SHERPA still undone, due to long calculation time

- Started Analysis of MadGraph sample (stored at dCache, used root)
- Generation of 100k  $t\overline{t} + X$  jets (X = 0, 1, 2, 3) in SHERPA still undone, due to long calculation time
- Divided job according to decay channels and set  $X \leq 2$

- Started Analysis of MadGraph sample (stored at dCache, used root)
- Generation of 100k  $t\overline{t} + X$  jets (X = 0, 1, 2, 3) in SHERPA still undone, due to long calculation time
- Divided job according to decay channels and set  $X \leq 2$
- $\rightarrow\,$  Still taking to long

- Started Analysis of MadGraph sample (stored at dCache, used root)
- Generation of 100k  $t\overline{t} + X$  jets (X = 0, 1, 2, 3) in SHERPA still undone, due to long calculation time
- Divided job according to decay channels and set  $X \leq 2$
- $\rightarrow$  Still taking to long
  - Started FastSimulation (Zeuthen batch / NAF batch) with test files from SHERPA, trying to recompile old version, to be comparable to MadGraph Analysis