First ECFA WORKSHOP.

Contribution ID: 106

Type: Parallel session talk

Physics potential for $\sigma xBR(H \rightarrow ZZ^*)$ measurement at CLIC

Thursday 6 October 2022 14:33 (15 minutes)

CLIC is a linear e^+e^- collider designed to reach center-of-mass energies ranging from 350 GeV, 1.4 TeV up to 3 TeV. Individual measurements of Higgs couplings in various Higgs production and decay channels are subject of a global fit in order to achieve the ultimate statistical precision of the cumulative CLIC data. In this talk we discuss the $\sigma xBR(H \rightarrow ZZ^*)$ measurement at all CLIC energy stages, in a full simulation of detector and experimental conditions.

Primary author: Ms VUKASINOVIC, Natasa (VINCA Institute of Nuclear Sciences, University of Belgrade)

Co-authors: Dr BOZOVIC-JELISAVCIC, Ivanka (VINCA Institute of Nuclear Sciences, University of Belgrade); Dr MILUTINOVIC-DUMBELOVIC, Gordana (VINCA Institute of Nuclear Sciences, University of Belgrade); Dr KACARE-VIC, Goran (VINCA Institute of Nuclear Sciences, University of Belgrade); Dr RADULOVIC, Mirko (Faculty of Science, University of Kragujevac); Dr STEVANOVIC, Jasna (Faculty of Science, University of Kragujevac)

Presenter: Ms VUKASINOVIC, Natasa (VINCA Institute of Nuclear Sciences, University of Belgrade)

Session Classification: WG 1 - Higgs/ Top/ EW

Track Classification: WG1-HTE - Physics Potential: Higgs, top, and electroweak