

Introduction to Accelerator Physics

Part 4

Pedro Castro / Accelerator Physics Group (MPY)
Zeuthen, 9th August 2023



LHC commissioning



April 2008
Last dipole down
(Total: 1232 dipoles)



September 10, 2008
First beams around

2008

2009

2010

September 30, 2008
First collisions planned ...



September 19, 2008

Disaster:

- Ramping the dipole current to 9.3 kA (6.5 T)
- At 8.7 kA, an electrical arc developed in a LHC dipole magnet interconnection

Electrical arc between C24 and Q24

- ~6 tonnes of liquid He lost
- contamination of the vacuum tube
- damage of 53 superconducting magnets



LHC commissioning



April 2008
Last dipole down
(Total: 1232 dipoles)



September 10, 2008
First beams around

Repair and Consolidation

November 20, 2009
Beam back



2008


2009

2010




September 19, 2008
Disaster
Electrical arc developed in a LHC
dipole magnet interconnection

March 30, 2010
First collisions at 3.5 TeV




Circular accelerators: the synchrotron




Circular accelerators: the synchrotron

Low Energy Antiproton Ring (LEAR) at CERN (built in 1982)



Circular accelerators: the synchrotron




$$\vec{F} = \frac{d\vec{p}}{dt} = q\vec{v} \times \vec{B}$$

momentum charge velocity magnetic field

of the particle

$$\left. \begin{array}{l} \vec{B} \perp \vec{v} \rightarrow F = qvB \\ \vec{F} \perp \vec{v} \rightarrow F = m \frac{v^2}{R} \\ \text{(circular motion)} \end{array} \right\} qB = \frac{mv}{R} \rightarrow R = \frac{mv}{qB}$$

Circular accelerators: the synchrotron




$$\left. \begin{aligned} \vec{B} \perp \vec{v} &\rightarrow F = qvB \\ \vec{F} \perp \vec{v} &\rightarrow F = m \frac{v^2}{R} \\ &\text{(circular motion)} \end{aligned} \right\}$$

$$qB = \frac{mv}{R} \rightarrow R = \frac{mv}{qB} = \text{constant}$$


→ increase B **synchronously**
with $p = mv$ of particle

Circular accelerators: the synchrotron




$$\left. \begin{array}{l} \vec{B} \perp \vec{v} \rightarrow F = qvB \\ \vec{F} \perp \vec{v} \rightarrow F = m \frac{v^2}{R} \\ \text{(circular motion)} \end{array} \right\} qB = \frac{mv}{R} \rightarrow R = \frac{(mv)_{\max}}{qB_{\max}} = \text{constant}$$


Electromagnet



permeability of iron = 300...10000 larger than air




Dipole magnet



$$\int_{gap} \frac{\vec{B}}{\mu_0} \cdot d\vec{s} = \frac{Bg}{\mu_0} = NI$$

$$B = \frac{\mu_0 N I}{g}$$

gap height




Ampere's law:

$$\oint \vec{H} \cdot d\vec{s} = I_{enclosed} = NI$$

$$\oint \vec{H} \cdot d\vec{s} = \int_{iron} \vec{H} \cdot d\vec{s} + \int_{gap} \vec{H} \cdot d\vec{s} = NI$$


$$\int_{iron} \frac{\vec{B}}{\mu_{iron}} \cdot d\vec{s} + \int_{gap} \frac{\vec{B}}{\mu_0} \cdot d\vec{s} = NI$$

Dipole magnet cross section




increase $B \rightarrow$ increase current, but power dissipated $P = R \cdot I^2$
 \rightarrow large conductor cables


Dipole magnet cross section



Dipole magnet cross section




Dipole magnet




Dipole magnet

Low Energy Antiproton Ring (LEAR) at CERN




Dipole magnet cross section




C magnet + C magnet = H magnet

Dipole magnet cross section (another design)




Power dissipated: $P = R \cdot I^2$

Superconductivity



Superconductivity




using superconducting cables

increase B → ~~increase current, but power dissipated $P = R \cdot I^2$~~
→ ~~large conductor cables~~
→ ~~saturation effects~~

increase $B \rightarrow$ increase current, but power dissipated $P = R \cdot I^2$


\rightarrow large conductor cables

\rightarrow saturation effects



μ : permeability


Saturation of iron: 1.6 – 2 T



Superconducting dipole magnets







LHC






HERA

superconducting dipoles

Superconducting dipole magnets: cross section

Tevatron	HERA	RHIC	LHC
Fermilab Chicago (USA)	DESY Hamburg (Germany)	Brookhaven Long Island (USA)	CERN Geneva (Switzerland)
4.5 T	5.3 T	3.5 T	8.3 T
			

Superconducting dipole magnets




Dipole field inside 1 conductor

J : uniform current density

Ampere's law:

$$\oint \vec{B} \cdot d\vec{s} = \mu_0 I_{\text{enclosed}}$$



$$\oint \vec{B} \cdot d\vec{s} = \oint B ds = 2\pi r B = \mu_0 \pi r^2 J$$


$$B = \frac{\mu_0 J}{2} r$$

$$\left\{ \begin{array}{l} B_x = -\frac{\mu_0 J}{2} r \sin \theta \\ B_y = \frac{\mu_0 J}{2} r \cos \theta \end{array} \right.$$

A 2D vector diagram showing the components of the magnetic field. A vector \vec{B} is shown at an angle θ from the horizontal axis. The radial distance is r . A small segment of the Amperian loop, $d\vec{s}$, is shown perpendicular to the radius. The components of the magnetic field are given by the equations in the curly braces.

Dipole field inside 2 conductors

J = uniform current density



Dipole field inside 2 conductors


J = uniform current density

one conductor:
$$\begin{cases} B_x = -\frac{\mu_0 J}{2} r \sin \theta \\ B_y = \frac{\mu_0 J}{2} r \cos \theta \end{cases}$$

superposition:

$$B_x = \frac{\mu_0 J}{2} (-r_1 \sin \theta_1 + r_2 \sin \theta_2)$$


$$B_y = \frac{\mu_0 J}{2} (r_1 \cos \theta_1 - r_2 \cos \theta_2)$$



Dipole field inside 2 conductors


J = uniform current density

one conductor:
$$\begin{cases} B_x = -\frac{\mu_0 J}{2} r \sin \theta \\ B_y = \frac{\mu_0 J}{2} r \cos \theta \end{cases}$$



$$B_x = \frac{\mu_0 J}{2} (-r_1 \sin \theta_1 + r_2 \sin \theta_2) = 0$$


$$B_y = \frac{\mu_0 J}{2} (r_1 \cos \theta_1 - r_2 \cos \theta_2)$$



Dipole field inside 2 conductors


J = uniform current density

one conductor:
$$\begin{cases} B_x = -\frac{\mu_0 J}{2} r \sin \theta \\ B_y = \frac{\mu_0 J}{2} r \cos \theta \end{cases}$$




$$B_x = \frac{\mu_0 J}{2} (-r_1 \sin \theta_1 + r_2 \sin \theta_2) = 0$$

$$B_y = \frac{\mu_0 J}{2} (r_1 \cos \theta_1 - r_2 \cos \theta_2) = \frac{\mu_0 J}{2} d$$






Dipole field inside 2 conductors




$$B_y = \frac{\mu_0 J}{2} d$$


From the principle ... to the reality...






LHC dipole coils in 3D





LHC dipole coils in 3D



LHC dipole coils in 3D




Computed magnetic field




nonmagnetic collars

ferromagnetic iron




Computed magnetic flux map

LHC DIPOLE : STANDARD CROSS-SECTION




Superconducting dipole magnets

LHC dipole magnet interconnection:



Superconducting dipole magnets

LHC dipole magnet interconnection:




Electrical joint between superconducting modules


dipole bus bar splice
(electrical joint)



Joint components before soldering




Bus bar well reconstituted after soldering



Cross section of the joint





Longitudinal section of the joint, entirely filled with Sn-Ag



Electrical joint between superconducting modules




- Resistance measurements and X-ray pictures have shown the presence of many of such defective joints in the machine



Electrical joint between superconducting modules

September 19, 2008


- Ramping the dipole current to 9.3 kA (6.5 T)
- At 8.7 kA, an electrical arc developed in a dipole bus bar splice, which punctured the helium enclosure
- The magnetic energy stored in one dipole string (1 octant) at 8.7kA (6.1 T) is 600 MJ which is equivalent to 140 tonnes of TNT



Electrical joint between superconducting modules

September 19, 2008


- Ramping the dipole current to 9.3 kA (6.5 T)
- At 8.7 kA, an electrical arc developed in a dipole bus bar splice, which punctured the helium enclosure
- The magnetic energy stored in one dipole string (1 octant) at 8.7kA (6.1 T) is 600 MJ which could heat and melt 900 kg of copper





Electrical joint between superconducting modules


September 19, 2008

- Ramping the dipole current to 9.3 kA (6.5 T)
- At 8.7 kA, an electrical arc developed in a dipole bus bar splice, which punctured the helium enclosure






The LHC repairs in detail




New electrical joint between superconducting modules



Phase I


Surfacing of bus bar and installation of redundant shunts by soldering

New electrical joint between superconducting modules




Phase II
Application of clamp and reinforcement of nearby bus bar insulation

New electrical joint between superconducting modules




Phase II
Application of clamp and reinforcement of nearby bus bar insulation

New electrical joint between superconducting modules




Phase II
Application of clamp and reinforcement of nearby bus bar insulation

New electrical joint between superconducting modules




Phase II
Application of clamp and reinforcement of nearby bus bar insulation

New electrical joint between superconducting modules




Phase III
Insulation between bus bar and to ground, Lorentz force clamping

New electrical joint between superconducting modules




Phase III
Insulation between bus bar and to ground, Lorentz force clamping

New electrical joint between superconducting modules



Phase III
Insulation between bus bar and to ground, Lorentz force clamping


New electrical joint between superconducting modules



Phase III
Insulation between bus bar and to ground, Lorentz force clamping

New electrical joint between superconducting modules

Repeat 3 times per interconnect (1MB, 2MQ)
and for ~1700 Interconnects in the machine



Phase III

Insulation between bus bar and to ground, Lorentz force clamping

The Nobel Prize in Physics 2013



© Nobel Media AB. Photo: A. Mahmoud

François Englert

Prize share: 1/2



© Nobel Media AB. Photo: A. Mahmoud


Peter W. Higgs

Prize share: 1/2

The Nobel Prize in Physics 2013 was awarded jointly to François Englert and Peter W. Higgs "for the theoretical discovery of a mechanism that contributes to our understanding of the origin of mass of subatomic particles, and which recently was confirmed through the discovery of the predicted fundamental particle, by the ATLAS and CMS experiments at CERN's Large Hadron Collider."

Summing-up of this part

Circular accelerators: the synchrotron



„I cannot teach anybody anything,
I can only make them think.“ (Socrates)

Contact

DESY. Deutsches
Elektronen-Synchrotron

www.desy.de

Pedro Castro
MPY
pedro.castro@desy.de