

## Federated Identity



**Paul Millar**  
DESY, 2014-05-15



HELMHOLTZ  
| ASSOCIATION



# A gentle introduction...



**Can read  
a file?**


**Can write  
a file?**

**Can delete  
a file?**


**Stage file  
from tape?**

**Can create  
directory?**


# So, what's the problem?



# So, what's the problem?



# So, what's the problem?




## Not new... steps already taken

- There are “single sign-on” (“SSO”) solutions,  
type in a password once and the system remembers this (for a while) – a sufficient but not necessary solution.
    - The big player is Kerberos
  - Another solution: X.509 certificates  
Yes, in theory an excellent solution  
Currently caught in a “vicious cycle”
-



# Other approaches? Federated Identity



# Quick check: Grid credentials

- SP: 'DESY ATLAS dCache instance'
- IdP: the 'GermanGrid CA'
- The SP authenticates users from many IdPs.

Tick: DESY ATLAS dCache instance accepts ATLAS users from many CAs, including GermanGrid CA

- The IdP is accepted by many SPs.

Tick: people with a GermanGrid CA issued certificate can authenticate with any grid resources, including DESY ATLAS dCache instance

Grid X.509 authentication provides federated identity.

---



# Quick check: OpenID

- SP: Flickr
- IdP: Yahoo
- The SP authenticates users from many IdPs.
  - Tick: can also login with Facebook and Google accounts.
- The IdP is accepted by many SPs.
  - Tick: many sites provide OpenID authentication with Yahoo

OpenID authentication provides federated identity.

---

## Quick check: Kerberos

- SP: dCache NFS server
- IdP: DESY KDC
- The SP authenticates users from many IdPs.  
No! (not impossible, but hard)
- The IdP is accepted by many SPs.  
Tick (in DESY), No! outside.

(almost all) Kerberos installations are not Federated Identity systems.

---

# The not-a-web-browser problem

- All Fed-Identity systems shown so far assume the user is using a web-browser.
    - can make a pretty web-page (in HTML); use anything a web-browser supports for authentication
  - Data transfer clients for protocols like
    - WebDAV, NFS, FTP, SMB/CIFS, CDMIare (almost always) **not** a web-browser
  - Huston, we have a problem!
-

# Solutions to the not-a-web-browser problem

- Use the web-browser as the transfer agent  
(i.e., dCache's HTTP web-browser interface)
  - Use a web portal to manage data transfers:  
“translates” an SAML token to an X.509 credential  
(e.g., Globus Online, web based work-flow engine)
  - Fix the clients to “speak Fed-Identity”  
(SAML ECP, Project Moonshot/AbFab)
-

# When are these coming?

- Adding Fed-Identity support to dCache web-browser interface

Relatively simple, but slated for after 2.10

- Using a web portals

Already possible (just need to trust the portal's CA)

- Fixing the clients

Both solutions (AbFab/Moonshot & ECP) are development projects. Both require rolling out of infrastructure, which (in a federated world) means coordinating.

# Summary

- Fed-Identity allows your users to use dCache with their existing credentials,
  - It's already possible with a web-portal solution (with some limitations)
  - We plan to:
    - Add more features to the web interface.
    - Investigate auto-enrolment for creating new users.
    - Engage with others to support fed-identity clients.
-

Thanks for listening

---



# Backup Slides

# The trust problem: SPs trusting the IdP

- They always identify the same person
    - don't reuse identifiers, password database isn't compromised, ...
  - Information is reliable
    - checked a passport to know the name, ...
  - Inform them if an identity has been compromised
    - “how” is a good question.
-

# The trust problem: IdPs trusting the SP

- Don't pass on personal information to others
    - don't leak/sell information to spammers, news papers, ...
  - Don't track their users habits
    - knowing the activity of a Nobel Laureate for Medicine may have commercial value
  - Will report suspicious activity
    - "how" is another good question
-

# Solutions to the trust problem

- For SAML, people are building federations to solve these problems
    - Set of rules so people know what to expect.
    - Taking the pragmatic approach: trust + real-world → contract.  
Makes joining a federation hard
    - Makes inter-federation (federations of federations) also hard (“weakest link”)
  - Everything else, it's a Wild West:
    - The IdP-trusting-SP problems are less because (typically) less information is shared
    - The SP-trusting-IdP problems are not dealt with.
-

# The split-personality problem

- A user may have **many ways** of authenticating:  
Kerberos, X.509, SAML, OpenID, ssh pub/priv keys
  - Most people agree that authorisation decisions should be against a **person**
  - A service needs to “merge” these identities
    - Currently, **gPlazma works**, but requires manual configuration
    - Outside of dCache, there's no good, general solution :-/
-

# The account life-cycle problem

- Some student from the University of Baden-Baden uses your dCache for the first time
    - “Easy” some enrolment process takes place, either automatic or requires users to register themselves
  - User stores data in dCache
  - Later, the student leaves the University of Baden-Baden
  - What should happen?
    - First, how does your dCache know the user has left?
    - Second, what should dCache do now?
-