

# KM3NeT/Super-ORCA: Measuring the leptonic CP-phase with atmospheric neutrinos — a feasibility study

## Authorship annotation

for the KM3NeT Collaboration

## Session and Location

Wednesday Session, Poster Wall #158 (Ballroom)

## Abstract content

Studying the atmospheric neutrino oscillation pattern below 2GeV with a multi-megaton Cherenkov detector may allow for a measurement of the leptonic CP-phase. The most relevant CP-sensitive energy range is below the neutrino detection threshold of KM3NeT/ORCA, which is a underwater Cherenkov detector optimised for the neutrino mass hierarchy determination by measuring the oscillation pattern of 3-30GeV atmospheric neutrinos. With KM3NeT/Super-ORCA, a 5 to 10 times more densely instrumented version of ORCA, the detection threshold can be lowered and the event reconstruction capabilities improved. Among the most crucial ingredients for the CP-phase measurement are the flavour identification, energy and direction resolution at low energies.

In this contribution, these key detector performance indicators are estimated for the Super-ORCA detector and a preliminary study to evaluate the potential of Super-ORCA to measure the leptonic CP-phase is presented.

## Poster included in proceedings:

yes

**Primary author(s)** : HOFESTÄDT, Jannik (ECAP)

**Co-author(s)** : EBERL, Thomas (ECAP)

**Presenter(s)** : HOFESTÄDT, Jannik (ECAP)

**Session Classification** : Poster Session Wednesday

**Track Classification** : Poster (participating in poster prize competition)